

When time is critical, you need a video laryngoscope that delivers consistently clear airway views, enabling quick intubations.

In EMS settings, the GlideScope Ranger Single Use enables faster intubations, in fewer attempts, than direct laryngoscopy.¹




FEATURES

- ▶ Portable, rugged, operational in seconds
- ▶ Reusable video baton with high-resolution camera
- ▶ Anti-fogging mechanism to resist lens clouding and secretions
- ▶ Non-glare color monitor easily visible in bright light
- ▶ Easy to use, easy to teach
- ▶ Federal Contract number V797P-4669A
- ▶ Awarded U.S. Army Airworthiness and U.S. Air Force "Safe-To-Fly" certifications



**A consistently clear,
real-time view.**



Applications

- Pre-hospital (field) airway treatment
- Level 1, 2, and 3 Military medicine casualty centers
- Trauma airways — excellent when dealing with blood and secretions in the airway
- Challenging airways (DL Grades I–IV)
- Intubation with cervical spine immobilization
- First-use intubations, replacing DL
- Teaching airway anatomy

System Components

- 3.5 inch color video monitor in soft-pack case
- Video Baton, carrying case, protective cradle
- GVL® Stat — single-use, choice of 6 sizes (box of 10)
- Integrated, rechargeable lithium battery
- GlideRite® Rigid Stylet
- Medical-grade recharger
- User’s Manual and Quick Reference Cards
- 1-year warranty

Field Specifications

- Compact size for easy carrying and storage (168 x 173 mm)
- Lightweight for maximum portability (< 0.56 kg)
- Rugged construction
- 90-minute continuous-use battery
- Altitude up to 6100 m
- Temperatures of -20° C to 50° C
- Humidity up to 100%

GlideScope Products and Systems: Designed for 1st Pass Success

		SINGLE USE STATS					
Ranger GVL Size		GVL 0	GVL 1	GVL 2	GVL 2.5	GVL 3	GVL 4
Patient Weight		< 1.5 kg	< 3.6 kg	1.8–10 kg	10–28 kg	10 kg–Adult	40 kg–Morbidly Obese
Ranger Single Use	Video Baton 1-2						
	Video Baton 3-4						
GlideRite Rigid Stylet*							

<p>Ranger Single Use System</p>	<p>Ranger Video Batons</p> <p>Video Baton 3-4 Length of flexible baton: 102mm Height at camera: 11mm Width at camera: 11mm Video cable length: 96cm Weight: 140g</p> <p>Video Baton 1-2 Length of flexible baton: 66mm Height at camera: 6mm Width at camera: 7mm Video cable length: 97cm Weight: 100g</p>	<p>Ranger Stats</p> <p>Stats 3 and 4 Length (blade tip to handle): 78mm/92mm Height at camera: 16mm/15mm Width at camera: 16mm/20mm Max blade width in front of camera: 21mm/27mm</p> <p>Stats 0, 1, 2, and 2.5 Length (blade tip to handle): 36mm/44mm/56mm/63mm Height at camera: 9mm/9mm/9mm/9mm Width at camera: 9mm/10mm/11mm/13mm Max blade width in front of camera: 9mm/13mm/16mm/20mm</p>	<p>Ranger with soft-pack case, video baton case and cradle</p>
--	--	---	---

Note: System configurations vary. The Ranger Single Use Video Baton is reusable.
 *For use with endotracheal tubes 6.0 mm and larger.

GlideScope, the GlideScope symbol, GVL, GlideRite, Verathon, and the Verathon Torch symbol are trademarks of Verathon Inc. © 2011 Verathon Inc.

GlideScope® video laryngoscope systems are CE marked in accordance with the Medical Device Directive, and the Verathon Inc. quality system is Quality System Certified to ISO 13485:2003 standards. US Patent No. 6,655,377; 6,543,447; International patents pending. 0900-2134-02-86



Corporate Headquarters
 20001 North Creek Parkway / Bothell, WA 98011
 425.867.1348 / 800.331.2313 / 425.883.2896 Fax
 verathon.com